

5 HP Duplex



**36 cfm @ 175 psi
(Time Delay)**

**18.5 cfm @ 175 psi
(Alternating)**

Basic Compressor Features

- Access to compressor valves without compressor head removal
- All UL electrical controls
- ASME tested powder coated steel tank
- Auto start stop
- Bearings on both ends of the crank shaft
- Centrifugal unloader
- Disk and spring valves
- Fully enclosed belt guard
- Heavy-duty air filter
- Heavy-duty two-stage solid cast iron pump
- Industrial grade electric motor
- Magnetic starter mounted and wired
- Needle bearings, and inserts on rods
- Stainless steel flex air lines
- Swedish steel valves
- TEFC drive motor (3 phase only)
- Torrington needle bearings
- 2-groove B width motor pulley
- 2-piece tank top plate design

Elite Compressor Features

- All basic features
- Automatic tank drain
- Low oil monitor
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada



Scan this QR code to learn more about this product



Model	Phase	Voltage	Tank	Length	Width	Height
DB51H124	1	208-230	120 Gallon	86	30	50
DB53H124	3	208-230-460	120 Gallon	86	30	50

No Start Up Kit Required

Optional 5-year Pump Warranty Available

See catalog for additional options

Compressed Air Systems

Simplicity. It's What We Do.

compressed-air-systems.com | 1-800-531-9656 | Fax 972-352-6364

© Compressed Air Systems, LLC 6-2019



7.5 HP Duplex



Basic Compressor Features


- Access to compressor valves without compressor head removal
- All UL electrical controls
- ASME tested powder coated steel tank
- Auto start stop
- Bearings on both ends of the crank shaft
- Centrifugal unloader
- Disk and spring valves
- Fully enclosed belt guard
- Heavy-duty air filter
- Heavy-duty two-stage solid cast iron pump
- Industrial grade electric motor
- Magnetic starter mounted and wired
- Needle bearings, and inserts on rods
- Stainless steel flex air lines
- Swedish steel valves
- TEFC drive motor (3 phase only)
- Torrington needle bearings
- 2-groove B width motor pulley
- 2-piece tank top plate design

Elite Compressor Features

- All basic features
- Automatic tank drain
- Belt guard after cooler
- Low oil monitor
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada

**48 cfm @ 175 psi
(Time Delay)**

**24 cfm @ 175 psi
(Alternating)**



Air cooled after cooler on Elite unit



Scan this QR code to learn more about this product

Model	Phase	Voltage	Tank	Length	Width	Height
DB71H124	1	208-230	120 Gallons	86	30	50
DB73H124	3	208-230/460	120 Gallons	86	30	50

Add -E to model number to make Elite Unit

No Start Up Kit Required

Optional 5-year Pump Warranty Available

See catalog for additional options

Compressed Air Systems

Simplicity. It's What We Do.

compressed-air-systems.com | 1-800-531-9656 | Fax 972-352-6364

© Compressed Air Systems, LLC 6-2019



7.5 HP Heavy-duty Duplex



Basic Compressor Features


- Access to compressor valves without compressor head removal
- All UL electrical controls
- ASME tested powder coated steel tank
- Auto start stop
- Bearings on both ends of the crank shaft
- Centrifugal unloader
- Disk and spring valves
- Fully enclosed belt guard
- Heavy-duty air filter
- Heavy-duty two-stage solid cast iron pump
- Industrial grade electric motor
- Magnetic starter mounted and wired
- Needle bearings, and inserts on rods
- Stainless steel flex air lines
- Swedish steel valves
- TEFC drive motor (3 phase only)
- Torrington needle bearings
- 2-groove B width motor pulley
- 2-piece tank top plate design

Elite Compressor Features

- All basic features
- Automatic tank drain
- Belt guard after cooler
- Low oil monitor
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada

**56 cfm @ 175 psi
(Time Delay)**

**28 cfm @ 175 psi
(Alternating)**



Air cooled after cooler on Elite unit



Scan this QR code to learn more about this product

Model	Phase	Voltage	Tank	Length	Width	Height
DB71H126	1	208-230	120 Gallon Horizontal	86	30	50
DB73H126	3	208-230-460	120 Gallon Horizontal	86	30	50
DB71H246	1	208-230	240 Gallon Horizontal	86	30	50
DB73H246	3	208-230/460	240 Gallon Horizontal	86	30	50

Add -E to model number to make Elite Unit

No Start Up Kit Required

Optional 5-year Pump Warranty Available

See catalog for additional options

Compressed Air Systems

Simplicity. It's What We Do.

compressed-air-systems.com | 1-800-531-9656 | Fax 972-352-6364

© Compressed Air Systems, LLC 6-2019



7.5 HP Heavy-duty Duplex




Basic Compressor Features

- Access to compressor valves without compressor head removal
- All UL electrical controls
- ASME tested powder coated steel tank
- Auto start stop
- Bearings on both ends of the crank shaft
- Centrifugal unloader
- Disk and spring valves
- Fully enclosed belt guard
- Heavy-duty air filter
- Heavy-duty two-stage solid cast iron pump
- Industrial grade electric motor
- Magnetic starter mounted and wired
- Needle bearings, and inserts on rods
- Stainless steel flex air lines
- Swedish steel valves
- TEFC drive motor (3 phase only)
- Torrington needle bearings
- 2-groove B width motor pulley
- 2-piece tank top plate design

Elite Compressor Features

- All basic features
- Automatic tank drain
- Belt guard after cooler
- Low oil monitor
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada



Air cooled after cooler on Elite unit

- 10 HP 1 Phase**
68 cfm @ 175 psi
(Time Delay)
- 34 cfm @ 175 psi**
(Alternating)
- 10 HP 3 Phase**
70 cfm @ 175 psi
(Time Delay)
- 35 cfm @ 175 psi**
(Alternating)



Scan this QR code to learn more about this product

Model	Phase	Voltage	Tank	Length	Width	Height
DB101H126	1	208-230	120 Gallon Horizontal	86	30	50
DB103H126	3	208-230-460	120 Gallon Horizontal	86	30	50
DB101H246	1	208-230	240 Gallon Horizontal	86	40	58
DB103H246	3	208-230-460	240 Gallon Horizontal	86	40	58

Add -E to model number to make Elite Unit

No Start Up Kit Required

Optional 5-year Pump Warranty Available

See catalog for additional options

Compressed Air Systems

Simplicity. It's What We Do.

compressed-air-systems.com | 1-800-531-9656 | Fax 972-352-6364

© Compressed Air Systems, LLC 6-2019



15 HP Duplex



Basic Compressor Features


- Access to compressor valves without compressor head removal
- All UL electrical controls
- ASME tested powder coated steel tank
- Auto start stop
- Bearings on both ends of the crank shaft
- Centrifugal unloader
- Disk and spring valves
- Fully enclosed belt guard
- Heavy-duty air filter
- Heavy-duty two-stage solid cast iron pump
- Industrial grade electric motor
- Magnetic starter mounted and wired
- Needle bearings, and inserts on rods
- Stainless steel flex air lines
- Swedish steel valves
- TEFC drive motor (3 phase only)
- Torrington needle bearings
- 2-groove B width motor pulley
- 2-piece tank top plate design

Elite Compressor Features

- All basic features
- Automatic tank drain
- Belt guard after cooler
- Low oil monitor
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada

**106 cfm @ 175 psi
(Time Delay)**

**53 cfm @ 175 psi
(Alternating)**



Air cooled after cooler on Elite unit



Scan this QR code to learn more about this product



Model	Phase	Voltage	Tank	Length	Width	Height
DB153H248	3	208-230/460-480	240 Gallon Horizontal	85	50	70
Add -E to model number to make Elite Unit						

No Start Up Kit Required

Optional 5-year Pump Warranty Available

See catalog for additional options

Compressed Air Systems

Simplicity. It's What We Do.

compressed-air-systems.com | 1-800-531-9656 | Fax 972-352-6364

© Compressed Air Systems, LLC 6-2019



25 HP Duplex



Basic Compressor Features


- Access to compressor valves without compressor head removal
- All UL electrical controls
- ASME tested powder coated steel tank
- Auto start stop
- Bearings on both ends of the crank shaft
- Centrifugal unloader
- Disk and spring valves
- Fully enclosed belt guard
- Heavy-duty air filter
- Heavy-duty two-stage solid cast iron pump
- Industrial grade electric motor
- Magnetic starter mounted and wired
- Needle bearings, and inserts on rods
- Stainless steel flex air lines
- Swedish steel valves
- TEFC drive motor (3 phase only)
- Torrington needle bearings
- 2-groove B width motor pulley
- 2-piece tank top plate design

Elite Compressor Features

- All basic features
- Automatic tank drain
- Belt guard after cooler
- Low oil monitor
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada

**184 cfm @ 175 psi
(Time Delay)**

**92 cfm @ 175 psi
(Alternating)**



Air cooled after cooler on Elite unit



Scan this QR code to learn more about this product

Model	Voltage	Tank	Length	Width	Height
DB253H249	208-230/460-480	240 Gallon Horizontal	85	52	72
Add -E to model number to make Elite Unit					

No Start Up Kit Required

Optional 5-year Pump Warranty Available

See catalog for additional options

Compressed Air Systems

Simplicity. It's What We Do.

compressed-air-systems.com | 1-800-531-9656 | Fax 972-352-6364

© Compressed Air Systems, LLC 6-2019



30 HP Duplex



Basic Compressor Features


- Access to compressor valves without compressor head removal
- All UL electrical controls
- ASME tested powder coated steel tank
- Auto start stop
- Bearings on both ends of the crank shaft
- Centrifugal unloader
- Disk and spring valves
- Fully enclosed belt guard
- Heavy-duty air filter
- Heavy-duty two-stage solid cast iron pump
- Industrial grade electric motor
- Magnetic starter mounted and wired
- Needle bearings, and inserts on rods
- Stainless steel flex air lines
- Swedish steel valves
- TEFC drive motor (3 phase only)
- Torrington needle bearings
- 2-groove B width motor pulley
- 2-piece tank top plate design

Elite Compressor Features

- All basic features
- Automatic tank drain
- Belt guard after cooler
- Low oil monitor
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada

**204 cfm @ 175 psi
(Time Delay)**

**102 cfm @ 175 psi
(Alternating)**



Air cooled after cooler on Elite unit



Scan this QR code to learn more about this product

Model	Voltage	Tank	Length	Width	Height
DB303H249	208-230/460-480	240 Gallon Horizontal	85	52	72
Add -E to model number to make Elite Unit					

No Start Up Kit Required

Optional 5-year Pump Warranty Available

See catalog for additional options

Compressed Air Systems

Simplicity. It's What We Do.

compressed-air-systems.com | 1-800-531-9656 | Fax 972-352-6364

© Compressed Air Systems, LLC 6-2019

